



 **FIREDOORS**[®]
smoke and fire curtains

- AUTOMATIC SMOKE CURTAINS
- FIRE CURTAIN
- FIREPROOF GATES



winner in nomination:
«THE BEST PRODUCT IN PROVIDING FIRE SAFETY» -
automatic smoke curtains «FireDoors»

The company «FireDoors» is a part of «EuroRollet» group of companies which successfully works in the market of commercial real estate construction since 2006.

Our portfolio includes a number of extensive and large-scale projects such as:

- shopping centers («Palazzo», «Dana Mall», «Gallery Minsk», «ExpoBel», «Mile», «MoMo», «Korona», «OMA», «Galileo», «Yarkiy», «Karusel»);
- car dealer centers («Audi», «Renault», «UAZ», «Caterpillar», «Chaina cars», «Nissan», «VW», «Minsk-LADA»);
- hotels («DoubleTree by Hilton Hotel Minsk», «Slavyanskaya», «Hampton by Hilton Minsk City Centre», «Shanter Hill»);
- industrial buildings («GreatStone» - Industrial park, plants: «Onega plus», «Minsk Civil Aviation Plant», «FerroliBel», car plant «BelGee» and «Unison»);
- office buildings and residential complexes.

«FireDoors» has started its independent activity in 2014. The key staff of our company are the competent specialists with 20 years of experience in fire safety field. For the present moment «FireDoors» is the first and only manufacturer of fire and smoke protection curtains in Belarus.


All the goods of the Company are certified in Belarus, Russia and Kazakhstan, there is implemented ISO 9001:2015 quality system. In addition, the company «FireDoors» is a resident of the Minsk City Technopark and has its own production and testing department on its territory.



Moreover, «FireDoors» takes an active part in the development of innovative design solutions for the application of its products in the field of fire safety, using an integrated approach from design to maintenance of fire safety systems.

In 2016 «FireDoors» participated in the international salon «Integrated Security» in Moscow, in 2018 we took part in the exhibition «Security of Kazakhstan».

In September 2018, according to the results of the past XV anniversary of the Republican professional competition «BEST BUILDING PRODUCT of the YEAR 2018», our automatic smoke curtains «FireDoors» became winners in the nomination: «THE BEST PRODUCT IN PROVIDING FIRE SAFETY».



FIRE CURTAINS «FIREDOORS»


is a modern, reliable fire barrier. The design of «FireDoors» curtains is made in light of the modern requirements and technologies in the field of fire protection and with the use of high-quality materials. With the help of curtains it is possible to localize the source of fire, prevent the spread of fire and heat radiation through the opening, thereby enabling successful evacuation of people and reducing damage.

Due to its flexibility, fireproof curtains can replace almost any fire barrier at all stages of construction, reducing the estimated cost without changing the performance characteristics.

Due to the combination of their operational properties, flexibility of application and low cost fireproof curtains have found wide application as fire barriers in parking lots, shopping malls and industrial premises.

- Fire resistance limit: **Ei120, Ei60, Ei30**
- Production time: up to 3 weeks
- Own production in the Republic of Belarus
- **High quality at a reasonable price**
- Wide color scheme of the frame: up to 20 colors
- **Dimensions of curtains are practically unlimited**

THE SCOPE OF APPLICATION OF FIRE CURTAINS:




1. filling openings in fire barriers

protection of parking lots




2. filling openings in **tambour gateways**




3. filling window openings **in case of non-observance of the standardized distances** horizontally between the nearest faces of the window openings located in the exterior walls of the building - in buildings with an internal angle






4. to limit the spread of fire through window openings in the outer walls to the upper floors with a distance between the openings in the vertical less than 1.2 m. If there are 5 to 50 permanent blind workplaces in the premises, not more than 50% of the windows may be provided as a blind grating



5. transformable fireproof partitions, if necessary to divide the premises into the parts provided that separate independent evacuation exits are provided from each part





6. transformable fire barriers **separating the atrium (at an atrium height of up to 15 m) from adjacent rooms or galleries**

7. partitions protecting **the evacuation routes from adjacent premises, including from atrium galleries**



8. **to limit the spread of fire through window openings** in external walls to closely located buildings, if the normalized distances between buildings are not respected




AUTOMATIC ACCORDION TYPE FIRE CURTAINS «FIREDOORS»

Automatic accordion-like type fire curtain is a dynamic fire barrier with a closed loop circuit of almost **unlimited sizes and any shapes**: rectangle, polygon, circle or oval. This design of fire curtain is used **without side rails**, that allows you to implement almost any requirements for interior design in the room. Raise/lower of the curtain is performed using an electric drive and a control unit that is integrated into the Central fire alarm system. When a fire alarm is triggered, the curtain is lowered, creating a barrier to the spread of fire and combustion products.

Fire resistance limit: Ei120 at an irrigation intensity of 0.023 l/m² per second.

THE SCOPE OF APPLICATION OF AUTOMATIC ACCORDION TYPE FIRE CURTAINS:



1. transformable fire barriers **separating the atrium (at an atrium height of up to 15 m) from adjacent rooms or galleries**

2. partitions protecting **the evacuation routes from adjacent premises, including from atrium galleries**



3. the curtains are installed **along the perimeter of escalators and travelators throughout the entire height** as a transformable fire barrier, to divide the building into firefighting compartments

Novelty! The design of smoke curtain «FireDoors» with open circuit has been developed.

AUTOMATIC SMOKE CURTAINS «FIREDOORS»

The design of «FireDoors» automatic smoke curtains is made in light of the modern requirements and technologies in the field of fire protection and with the use of high-quality materials. Company «FireDoors» is the first and only manufacturer of smoke curtains in the Republic of Belarus.

The fireproof curtains «FireDoors» are manufactured to any customer's requirements and have no restrictions on either height or width of the canvas.

Novelty! The design of smoke curtain «FireDoors» with open circuit has been developed.

Automatic smoke curtains are flexible transformable structures. They limit the spread in the ceiling space of large areas and volumes of smoke and flammable gases. Curtains, creating smoke areas, send smoke and flammable gases towards the exhaust devices.

The smoke protective fabric from which the curtain is made has a high smoke and gas tightness, protecting against fire and combustion products under different temperature conditions.

So, for example, when working together with aeration lanterns, a smoke shielding can be considered the main part of the life support system, in the event of a fire.


THE SCOPE OF APPLICATION OF AUTOMATIC SMOKE CURTAINS:

- in the rooms with an area of more than 3,000 m², it is necessary to divide into smoke zones, taking into account the possibility of a fire in one of them. As a rule, every smoke zone should be enclosed by dense vertical curtains made of noncombustible materials that descend from the ceiling (floor) to the floor, but not less than the calculated thickness of the smoke layer from the floor, forming smoke tanks under the ceiling. Smoke zones, enclosed or not protected by veils, should be envisaged taking into account the occurrence of possible fires.
- in the gallery space (if the galleries are not separated from the atrium by building structures), it is necessary to arrange continuous longitudinal vertical curtains (screens) along the entire length of the gallery, descending along its outer edge to a height not less than the calculated thickness of the smoke layer from the gallery floor, which will prevent the spread of smoke in the vo-

lume of the atrium. Screens should be made of non-combustible materials. If these screens are not made stationary, then the screen starters should be automatic (from fire alarm systems with smoke detectors), remote and manual control.

According to the above requirements, it is recommended to install automatic smoke curtains:

- in shopping centers;
- at the airports;
- at the train stations;
- in restaurants and cafes;
- in garages-parking (parking lots).




AUTOMATIC ACCORDION TYPE SMOKE CURTAINS «FIREDOORS»

The «FireDoors» company has developed and implemented an innovative solution for creating smoke zones and removal of smoke outside the building using flexible transformable barriers - Namely automatic accordion type smoke curtains.

Smoke protection curtain accordion type (closed loop, without guides), used as a passive fire safety system to prevent the spread of combustion products to the upper floors of the atrium (shopping centers and office buildings). When the fire alarm is triggered, the lower part of the structure, located on the same level with the suspended ceiling, falls down creating a smoke pocket that prevents the spread of smoke to the upper floors of the atrium.

Such construction of curtains allows implementing any bold design solutions.



FIREPROOF GATES «FIREDOORS»

Company «FireDoors» manufactures high-tech fireproof gates made using the latest fire safety technologies. Such gates will provide high ergonomics of the premises and create the necessary level of fire safety for workers and property of your enterprise. Retractable fireproof gates are characterized by increased mechanical strength and reliability.

TECHNICAL CHARACTERISTICS OF FIRE GATES «FIREDOORS»

The gate leaf consists of several modular panels with a width of 1190 mm. The modular panel is made from two steel galvanized sheets of 0,5 mm, between which there is a fire-resistant aggregate. The structure is framed by a steel profile. The total thickness of fire-resistant panels is 100 mm. To prevent mechanical damage to the gate during the installation of the sliding gate leafs are covered with a protective film. Gates are equipped with an automatic electric drive, which allows you to open and close them automatically. Power consumption of the electric drive is 1 kW, supply voltage is 220V.

The fireproof gates «FireDoors» serve as a fire barrier and can be operated as a conventional sliding gate due to the use of an electric drive.

- Fire resistance limit: **Ei60**
- Production time: up to 3 weeks
- Own production in the Republic of Belarus
- **High quality at a reasonable price**
- Wide range of colors: up to 20 colors
- **Gate dimensions: width from 2 to 10 meters, in height from 2 to 5 meters**

THE SCOPE OF APPLICATION OF FIRE GATES




Fire-fighting gates are designed to limit the spread of fire, in-fire compartments and sections, as well as to prevent its spread beyond the fire compartment or section. The gates are installed in the openings of fire barriers and walls.

List of objects



Shopping center «Palazzo», Minsk
Automatic accordion type smoke curtains «FireDoors»

List of objects



Hotel and business complex «Shanter Hill», Minsk
Stationary smoke curtains «FireDoors»

List of objects



Construction hypermarket «MILE», Minsk

Retractable fireproof gates «FireDoors» Ei60, fireproof swing gates, fire curtains «FireDoors» Ei120

List of objects



Shopping center «OMA», Minsk
Retractable fireproof gates and fire curtain «FireDoors»





Shopping center «Gallery Minsk», Minsk
Retractable fireproof gates «FireDoors» Ei60

List of objects



Shopping center «OutLeto», Minsk
Retractable fireproof gates «FireDoors» Ei60




Shopping center «Moscow», Almaty, Kazakhstan
Fire curtain «FireDoors» Ei120

List of objects



Shopping center «DANA MALL», Minsk
Fireproof swing gates





Shopping center «Karusel», Bobruisk
Fire curtain «FireDoors»

List of objects




Shopping center «Yarkiy», Minsk
Fireproof swing gates



Residential complex «Novaya Borovaya», Minsk
Smoke curtains «FireDoors»

List of objects



Car dealer center «Nissan», Minsk
Fireproof lifting gates «FireDoors»




Car dealer center «RENAULT», Minsk
Retractable fireproof gates «FireDoors» Ei60

List of objects



Car dealer center «ParadAuto-UAZ», Minsk
Retractable fireproof gates «FireDoors» Ei60



Car plant «BelGee», Minsk region
Retractable fireproof gates «FireDoors» Ei60

List of objects



Garage of «Belarusbank», Minsk
Fire curtain «FireDoors» Ei120




Warehouse of car's parts «MotorLand», Minsk
Retractable fireproof gates «FireDoors» Ei60

List of objects



Wholesale and food company «Umabel», Minsk
Fire curtain «FireDoors» Ei120



Logistics centre «EurAsia», Minsk region
Fire curtain «FireDoors» Ei120

List of objects



«Veles-Mit», Minsk region
Fire curtain «FireDoors» Ei120



«BELWOODDOORS», Minsk region
Fire curtain «FireDoors» Ei120

List of objects



Plant «Onega plus», Minsk region
Retractable fireproof gates «FireDoors» Ei60



Plant of heating equipment «FerroliBel», Minsk region
Retractable fireproof gates «FireDoors» Ei60

List of objects



Plant «Amkodor Elastomer», Minsk region
Retractable fireproof gates «FireDoors» Ei60



Plant «BellaPak», Minsk region
Fire curtain «FireDoors» Ei120

**Certificate of the Republic of Belarus
fire-fighting sliding gates
FireDoors Ei60
max size: 6500x10000 mm**

НАЦИОНАЛЬНАЯ СИСТЕМА ПОДТВЕРЖДЕНИЯ СООТВЕТСТВИЯ РЕСПУБЛИКИ БЕЛАРУСЬ

ГОСТАНДАРТ

№ 0322028

Серия А

СЕРТИФИКАТ СООТВЕТСТВИЯ

Зарегистрирован в реестре
№ ВУ/112 02.01.033 00349
Срок действия с 01.12.2014 по 30.11.2019

Аккредитованный орган по сертификации продукции на соответствие требованиям пожарной безопасности, Учреждение «Республиканский центр сертификации и экспертизы лицензируемых видов деятельности» МЧС Республики Беларусь, (№ ВУ/112 033.01), 220088, г. Минск, ул. Захарова, 73а, тел./факс 233-93-99

Настоящий сертификат удостоверяет, что идентифицированная должным образом продукция, изготовленная ООО «ФайерДорс», Республика Беларусь, г. Минск, пр. Партизанский, 174 и представленная на сертификацию под наименованием Штора противопожарная 1 типа, стальная, глухая, однополосная (прямая, жесткая), откатная, шириной 6100 мм, высотой 10000 мм, размеры, мм(дюймы): мин.: 2400x2400 (24-24), макс.: 5000x5000 (50-50) СТБ 1994-2003, КД, -ФДВ 01.00.000

Серийное производство соответствует требованиям технических нормативных правовых актов: ст. 5, п. 3.5.1. ТР 2009/013/ВУ (п.п. 4.2.1.2, 4.2.2.7-4.2.2.9 СТБ 1994-2003)

Заявитель (изготовитель, продавец) ООО «ФайерДорс», Республика Беларусь, Минская обл., Минский р-н, Могилевское шоссе, 11 км, здание ООО «АЭРОПЛА», оф. 31 код УНП - 691764925

Сертификат выдан на основании:

а) документов отчет о проверке производства от 20.08.14;
б) протокола испытаний ИЦ «НИИ ПыЧС МЧС РБ», № ВУ/112 02.1.0.0042, № 04-52/55041 от 18.11.14.

Инспекционный контроль осуществляет орган по сертификации РДСиЭ МЧС РБ

Особые отметки Сертификат хранить не менее 5 лет после окончания срока действия. Дополнительная информация Ворот имеют предел огнестойкости EI-160 и относятся к 1 типу противопожарного заполнения проемов в противопожарных перегородках.

18.05.15 внесено изменение 1 (содержание на оборотной стороне сертификата)

20.05.15 внесено изменение 2 (содержание на оборотной стороне сертификата)

М.П. Индекс 3 смонти на обороте

Руководитель органа по сертификации *З.З.Шатило*
Эксперт-аудитор *П.В.Артемов*

**Certificate of the Republic of Belarus
automatic smoke curtains
FireDoors D30
type «accordion»**

НАЦИОНАЛЬНАЯ СИСТЕМА ПОДТВЕРЖДЕНИЯ СООТВЕТСТВИЯ РЕСПУБЛИКИ БЕЛАРУСЬ

ГОСТАНДАРТ

№ 0322366

Серия А

СЕРТИФИКАТ СООТВЕТСТВИЯ

Зарегистрирован в реестре
№ ВУ/112 02.01.033 00510
Срок действия с 21.02.2017 по 20.02.2022

Аккредитованный орган по сертификации продукции на соответствие требованиям пожарной безопасности, Учреждение «Республиканский центр сертификации и экспертизы лицензируемых видов деятельности» МЧС Республики Беларусь, (№ ВУ/112 033.01), 220088, г. Минск, ул. Захарова, 73а, тел./факс 233-93-99

Настоящий сертификат удостоверяет, что идентифицированная должным образом продукция, изготовленная ООО «ФайерДорс», Республика Беларусь, г. Минск, пр. Партизанский, 174 и представленная на сертификацию под наименованием Штора автоматическая дымозащитная «ФайерДорс»

ТУ ВУ 691764925.003-2016, КД, -ФДШ 06.00.000 код ОКП РБ - 13.96.12 код ТН ВЭД ТС - 7019099090

Серийное производство соответствует требованиям технических нормативных правовых актов: ст. 5, п.п. 2.6, 3.3, 3.5.1 ТР 2009/013/ВУ (прил. А СТБ EN 12101-1-2009)

Заявитель (изготовитель, продавец) ООО «ФайерДорс», Республика Беларусь, 223060, Минская обл., Минский р-н, Новодорский с/с, р-н д. Большое Станкево, 40-2-39Б код УНП - 691764925

Сертификат выдан на основании:

а) документов отчет о проверке производства от 17.02.17;
б) протоколов испытаний ИЦ «НИИ ПыЧС МЧС РБ» (№ ВУ/112 02.1.0.0042) № 04-52/1581 от 17.02.17.

Инспекционный контроль осуществляет орган по сертификации РДСиЭ МЧС РБ

Особые отметки Сертификат хранить не менее 5 лет после окончания срока действия

Дополнительная информация Штора относится к классу D 30 (табл. 1, п. 5.2 СТБ EN 12101-1-2009)

М.П. Руководитель органа по сертификации *З.З.Шатило*
Эксперт-аудитор *П.В.Артемов*

**Technical certificate
of the Republic of Belarus
automatic fire curtains
FireDoors Ei120, E60**

МИНИСТЕРСТВО АРХИТЕКТУРЫ И СТРОИТЕЛЬСТВА
РЕСПУБЛИКИ БЕЛАРУСЬ
Учреждение «Республиканский центр сертификации и экспертизы лицензируемых видов деятельности» МЧС Республики Беларусь, 220088, г. Минск, ул. Захарова, 73а, тел./факс 233-93-99, 233-92-85

ТЕХНИЧЕСКОЕ СВИДЕТЕЛЬСТВО

пригодности материалов и изделий
для применения в строительстве

ТС 09.0042.18

Дата регистрации • 28 • апреля 2018 г.
Действительно до • 08 • июля 2020 г.
Продлено до • • •
Продлено до • • •

Настоящим техническим свидетельством удостоверяется пригодность материалов и изделий для применения в строительстве на территории Республики Беларусь.

1. Наименование материала (изделия)
Штора автоматическая противопожарная «ФайерДорс» с электроприводом и блоком управления. Штора стационарная противопожарная «ФайерДорс» (ТУ ВУ 691764925.001-2014)

2. Назначение
Противопожарное заполнение проемов в противопожарных перегородках и ограждение дымолов зон согласно приложению 2 к техническому свидетельству

3. Изготовитель
ООО «ФайерДорс», Республика Беларусь, 223060, Минская обл., Минский р-н, Новодорский с/с, р-н д. Большое Станкево, ул. 40/2, оф. 57Б (SU.S. Union)

4. Заявитель
ООО «ФайерДорс», Республика Беларусь, 223060, Минская обл., Минский р-н, Новодорский с/с, р-н д. Большое Станкево, ул. 40/2, оф. 57Б (SU.S. Union)



**Certificate of the RF
fire curtains
FireDoors Ei30
WITHOUT irrigation**

**Certificate of the RF
fire curtains
FireDoors Ei60
WITHOUT irrigation**

**Certificate of the RF
fire curtains
FireDoors Ei180
WITHOUT irrigation**

РОССИЙСКАЯ ФЕДЕРАЦИЯ СЕРТИФИКАТ СООТВЕТСТВИЯ (область применения)	
№	С-В П1658 в 02006
ЗАЯВИТЕЛЬ	№ 0012049
Общество с ограниченной ответственностью "Фаворит" (ООО "Фаворит"): Адрес: 223060, Республика Беларусь, Минская обл., Минский район, Новодаровский с/п. район д. Большое Станько, д. 40, корп. 2, пом. 306. Телефон: +375713968603. Факс: +375713968602.	
ИЗГОТОВИТЕЛЬ	Общество с ограниченной ответственностью "Фаворит" (ООО "Фаворит"): Адрес: 223060, Республика Беларусь, Минская обл., Минский район, Новодаровский с/п. район д. Большое Станько, д. 40, корп. 2, пом. 306. Телефон: +375713968603. Факс: +375713968602.
ОРГАН ПО СЕРТИФИКАЦИИ	Общество с ограниченной ответственностью "Альфа Техника Безопасности" (ООО "Альфа Техника Безопасности"). Адрес: 301795, Тульская область, г. Донской, ул. Мухоморова, д. 1, стр. 8. Адрес места осуществления деятельности: 301795, РОССИЯ, Тульская область, г. Донской, микрорайон Центральный, ул. Героинейская, д. 1. Адрес А/С ТП: 107134516188. Телефон: +74874609553 / +74932651088. Факс: +74874609553. E-mail: info@alfabeta.ru. Аккредитация № 19765, № 19763, дата вступления в силу: 15.05.2015 г. Регистрационный сертификат по аккредитации
ПОДТВЕРЖАЕТ, ЧТО ПРОДУКЦИЯ	Противопожарная автоматическая передача (шпора) конструкции "Фаворит" типа ШПЗ-А, Е 640, выпускаемая по ТУ ВУ 691764925.002-2015. (см. Приложение к № 0012054).
Серийный выпуск:	мод. ОК 05 (ОКП): 52 8486 мод. ЕКПКС; мод. ТН ВЭД России: 7019 55 00 00
СООТВЕТСТВУЕТ ТРЕБОВАНИЯМ	ТЕХНИЧЕСКОГО РЕГУЛАТОРА (ТЕХНИЧЕСКИХ РЕГУЛАМЕНТОВ)
"Технический регламент о требованиях пожарной безопасности (Федеральный Закон № 123-ФЗ от 22 июля 2008 г. в ред. Федерального закона от 10.07.2012 № 117-ФЗ, от 02.07.2013 № 185-ФЗ, от 23.08.2014 № 190-ФЗ, от 13.07.2015 № 234-ФЗ, ГОСТ 32047-04 "Конструкции строительные. Методы испытаний на огнестойкость. Общие требования", ГОСТ 32047-04 "Конструкции строительные. Методы испытаний на огнестойкость. Испусные и конструктивные конструкции"	
Предель огнестойкости — EI 60	
ПРОВЕДЕНИЕ ИССЛЕДОВАНИЙ (ИСПЫТАНИЙ) И ИЗМЕРЕНИЙ	
Протокол сертификационных испытаний № 211-СТП-16 от 27.04.2016. Испытательная лаборатория "Общество с ограниченной ответственностью "Альфа Техника Безопасности" № ТПТЕ. RU.ИНА1 от 09.02.2016 г.	
ПРЕДСТАВЛЯЕМЫЕ ДОКУМЕНТЫ	
Сертификат соответствия системы менеджмента качества ГОСТ Р ИСО 9001-2015 (ISO 9001:2015) № МС001/15/01112 от 01.03.2016 г.	
СРОК ДЕЙСТВИЯ СЕРТИФИКАТА СООТВЕТСТВИЯ с 28.04.2016	
до 27.04.2021	
Исполнитель (полномочное лицо)	
М.П.	орган по сертификации
Исполн. (подпись)	Д.А. Гомзев
Исполн. (подпись)	Д.Н. Бакулин
24.05.2016 15:00:00	

РОССИЙСКАЯ ФЕДЕРАЦИЯ

СЕРТИФИКАТ СООТВЕТСТВИЯ
(обязательная сертификация)

№ C-ВУ.П658.В.02211

ЗАЯВИТЕЛЬ № 0013972

Общество с ограниченной ответственностью "Фандорс" ("ООО «Фандорс»"), Адрес: 223060, Республика Беларусь, Могилевская область, Могилевский район, Новодерзкой с/п. район деревни Белое Станово, дом 40, корпус 2, помещения 386. Телефон: +375017396003. Факс: +375017396002

ИЗГОТОВИТЕЛЬ

Общество с ограниченной ответственностью "Фандорс" ("ООО «Фандорс»"), Адрес: 223060, Республика Беларусь, Могилевская область, Могилевский район, Новодерзкой с/п. район деревни Белое Станово, дом 40, корпус 2, помещения 386. Телефон: +375017396003. Факс: +375017396002

ОРГАН ПО СЕРТИФИКАЦИИ

Общество с ограниченной ответственностью "Альфа Тюварная Безопасность" ("ООО «Альфа Тюварная Безопасность»") Адрес: 201700, Псковская область, г. Дно, ул. Гагарина/Калинина, д.1, стр.4. Адрес места осуществления деятельности: 201700, Псковская область, г. Дно, ул. Гагарина/Калинина, д.1, стр.4. А/телефон: +7(812)5401516; Телефон: +7(812)4839651; +7(812)821668; факс: +7(812)455933; e-mail: info@alfabz.ru; A/информация по сертификату: www.trips.ru/issd.

ПОДЪЕЗДАТЕЛЬ, КОТО ДО ПРОДУКЦИЈА

Щора автоматическая противокрадовая система двухконтурная "Фандорс" типа ШАП С-Е180, выпускаемая по ТУ ВУ 691764825-003-2015. Монтаж согласно "Инструкции по монтажу противокрадовой щоры (тип Е120, Е180) "Фандорс" (см. Приложение – Бланк № 0012311). Серийный выпуск.

код ОК 005 (ОКП):
52 848
код ЕКИС:
код ТН ВЭД Россия:
7019 59 00 0

СООТВЕТСТВУЕТ ТРЕБОВАНИМ

ТЕХНИЧЕСКОГО РЕГУЛАМЕНТА (ТЕХНИЧЕСКИХ РЕГУЛАМЕНТОВ)

«Требования (регламент) к требованиям пожарной безопасности (Федеральный закон № 123-ФЗ от 22 июля 2008г., в ред. Федеральных законов от 19.07.2012 № 117-ФЗ, от 02.07.2013 № 186-ФЗ, от 23.03.2014 № 190-ФЗ, от 13.07.2015 № 234-ФЗ); ГОСТ 30247-94 "Конструкция противопожарных дверей и перегородок на оппорности, системы противопожарные"; ГОСТ 30247-1-04 "Конструкция противопожарные двери и перегородки на оппорности. Новые и модернизируемые конструкции"

ПРОБАНИЕ НА ИСПЫТАНИЯ (ИСПЫТАНИЯ) И ИЗМЕРЕНИЯ

Протокол сертификационных испытаний № С3S-CРП-16 от 15.08.2016 г., Испытательная лаборатория Общества с ограниченной ответственностью "Альфа Тюварная Безопасность" № ТРПБ. RU.0H41 от 08.02.2016 г.

ПРЕСТАВЛЕННЫЕ ДОКУМЕНТЫ

Сертификат соответствия системы менеджмента качества ГОСТ Р ISO 9001-2015 (ISO 9001:2015) № MSK CCC 160112-18 от 01.03.2016 г.

СРОК ДЕЙСТВИЯ СЕРТИФИКАТА СООТВЕТСТВИЯ : 01.08.2016 до 01.08.2021

по 01.08.2021

Республика Беларусь (за исключением Республики)
органа по сертификации

А.А. Гомзов
директор

М.П. Уполномоченный (подпись)

Д.Н. Бабушкин
генеральный директор

М.П. Эксперт (подпись)

2019-05-29 Москва, 2014 - 4. Изменения внесены в соответствии с требованиями ГОСТ Р ISO 9001-2015 (ISO 9001:2015) № MSK CCC 160112-18 от 01.03.2016 г.

[illegible]

International certificate of quality management system ISO 9001



This presentation does not include a complete list of conformity certificates for the company's products.


**Diploma
of the International Salon
Integrated Security 2016, Moscow**



Diploma
the winner of the Republican contest
«Best construction product-2018», Minsk



This presentation does not include a complete list of conformity certificates for the company's products.



GPS-coordinates: N53.859900, E27.685465



Central office

Business centre «S.Union», office 106
Minsk, Belarus

Telephones:

+375 (29) 6 621 621

+375 (33) 6 621 621

fax: +375 (17) 396 80 02

e-mail: info@firedoors.by

www.firedoors.by

